

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

1678

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

				I m 1 1 27 1	70 / 47	.1			
Establishm O		L	1 + 893	Telephone Number () Establishment _	Date of In (mm/dd/yr		ID#		
Ertablishm	urger	<u></u>	(ing # 893 unber and street, city, state, zip code)	8/2-949-2863	1-8-	.19	18-		
23c	9 5	+0	ithe St New Albany, IN 47150	315-424-6513	1	<i>)</i> ;	36		
Owner	$\overline{}$	1		Purpose:	Follow-up Release Date				
		915	i, LLC	1. Routine	NO 10 days				
Owner's A	ddress	mes	s St Syracuse, Ny 13203	2. Follow-up 3. Complaint	Summary of Violations:				
Person in C	harge		shua Strunk	4. Pre-Operational CNC R			F RO		
Responsible				5. Temporary	Menu Type (See back of page)				
yearharmen		A	,pA	6. НАССР	,				
Certified F	ood Handle		shua Strunk 9-21-22	7. Other (list)	12	3 V	45		
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"									
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"									
Section#	C/NC	R	Narrative			To Be Co	orrected By		
256	NC		Observed no thermometer	is in the toll	owing				
			1 1	under counter		Toda	J. 15		
			cooler, small cooler on			COME	cted		
431	NC		Observed areas of more	^ /	4144;	4 1	aVS		
·			. 1 // /,	nder cashier	· //		- / -		
			Counter, under fryer,	floors in			· ·		
			hot water heater room.	7.0010					
411	NC		Observed light bulb out in woman's 3 days						
			restroom & outside walk	in cooler.			7		
392	NC		Observed Cardboard dump	oster open.		toda	ay.		
							<u> </u>		
				···					
Received by	(name and	title j	printed):	Inspected by (name and title pr	inted):	- 110			
Joshua Strank Thomas Suider, EHS									
Received by (signature): Inspected by (signature):									
John Standard									
cc; cc;									

Burger King - State

1-8-19

Floyd County Health Department Inspection Notes										
Gode # 1946/NG 12 12 12 13 15 16 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18										
			PIC: Joshua Stor Strugk							
			CFH: 9-27-22							
			Health Policy (Y) N Food Code: (Y) - N							
		<u> </u>								
	431	NC	floor order N. live							
<i>y</i>	431	NC	- Hoors under Fryer							
<u>/</u>	256	NC	Munumer under cooler							
			floors under courter & hot water room							
/	256	NL								
	411	NC	lights outside walking & was RR							
			v v							
	256	NC	However halking							
	392	NC	dungelen open - cood open.							
	- ;									
			· · · · · · · · · · · · · · · · · · ·							
	:-									
	-									
		· 								
	· · · · · ·									
-										
			· · · · · · · · · · · · · · · · · · ·							